#### TIDAL BENCH MARKS

## B. M. 8801A at EUREKA, HUMBOLDT BAY, CALIFORNIA

The bench mark is a disk on the top of a copper coasted steel rod let to a depth of 51 feet encased in a pipe projecting 8 inches.

7.5 feet NE of the phone pole.
23 feet ENE of center line of 2nd Street.

165 feet NNW of intersection of 2nd and Commercial Streets

88 feet N of NE corner of Vista Del Nur Scafords Building

7 feet WSW of western most railroad truck

		Date		Above zero of Tide Staff	Above B. M.	Remarks
Established by R.A. Morris PTP	Year 1977	Month Aug	Day 17	23.570	Feet	New installation Rod stope
Recovered by R.A. Morris R.A. Morris F. Mc Gough.	1978 1979	Oct.	29	23.568 23.577 23.572 23.590		Six-month levels  Evol stop @ 25.000'  Removue. Rod stop @ 25.020
E, Edwing	1700	7				



#### TIDAL BENCH MARKS

## B. M. 8801Bat EUREKA, HUMBOLDT BAY, CALIFORNIA

The bench mark is a deep rod mark driven to a depth of 44 feet. The mark is below grade, and enclosed in concrete and white PVC pipe, which extends 0.4 ft above grade. 113 ft NNE of NE corner of NWP RR Eureka office, 43 ft ESE of SE corner of "Eureka Ice & Cold Storage", 26.5 NNW of N most ER track, 5 ft S of a telephone pole.

		Date		Above zero of Tide Staff	B. M. A	Remarks
Established by	Year	Month	Day	Feet	Feet	
PTP R.A. Morris	1978	Apric	7	22.963	-0.605	
Recovered by	1978	Oct	5	22.966	-0.611V	
F. Mc Govan	1979	Apric	29	22.962	-0.610	
Recovered by  R.A. Morris  F. Mc Gough  R.A. Morris  R. Edwing	1980	7eb.	12	22.981	-0.609	
		·				



#### TIDAL BENCH MARKS

## B.M. EF-45 at EUREKA, HUMBOLDT BAY, CALIFORNIA

The bench mark is NOS reference murk disk stamped "EF-45" located at the SW corner of "A" and 2" streets.

3. B feet E of telephone pole.

7.7 feet NE of NE woner of building (Baker & Stanton Furnituse)

3.8 feet South of center of intersection

PTP Recovered by P. A. Morris 19	17 Aug 18 Marie 18 Oct.	17 26 5	23.625 23.626 23.626 23.625 23.621	0.058	New installation.
R.A. Morris 19. R.A. Morris 19.	8 Oct.	5	23.625	0.048	
,	30 Jeh	12	23.638	0.048	
N6> 8		30			Ekvations this shate relative to PBM only.

### TIDES: BENCH MARKS FOR PERM. NENT FILE

B. M. = /at Eureka, (Buhne's Dock) Humboldt Bay, California.

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately feet above mean tide level. The bench mark is B M 1 a U.S.C.& G.Survey standard disc, stamped 1921, set horizontally in the concrete surface of the foundation of the Humboldt National Bank at the corner of 4th and E Streets. Entering the bank on the E Street entrance the B.M. is right of the steps and right of a pillar to the right of the steps. It is set in the concrete base of the pillar on the right of the entrance to the bank.

Oct. 23,1929. Recovered as described, except that the Humboldt National Bank is now called the "Bank of Italy".

Nov. 20, 1945, H. C. Warwick--Recovered as described in good condition. Change "Bank of Italy" to "Bank of America." Mark is stamped ByM, 1 1921 14.91

5

15.407 Ft. above 560, Supplementary Adj. 9 1929 Remarks Reading BM#4 -14435 Month Day FeetYear Established by 1921 - 14:40 E.H.Pagenhart 23.94 Oct. Recovered by 21.477 -14.432 1929 Oct 23 A. P. Ratti AB208 65 201 19.183 ft. above ML 1945 Nov. H. C. Warwick 32.586 9.011 Aug. R. A. Morris 1977 32.575 9.007 8.949 R. A. Morris 1978 Apric 8.959 32.580 9.008 F. Mc Gough 1979 Apric 32.606 9.016 8.968 R, Edwing 1980 Feb. 8.994 NOS 88 30

#### TIDES: BENCH MARKS FOR PERMANENT FILE

B. M. Z & at . Eureka (Buhne's Dock) Humboldt Bay, California.

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately feet above mean tide level. The bench mark is a U.S.C.& G.Survey standard disc, stamped  $\frac{B M 2}{1921}$ , set in the concrete retaining wall in the back of the Eureka Post Office at the corner of 5th and H Streets.

Nov. 20, 1945, H. C. Warwick--Recovered in good condition. Change description to read: "Set in the top of the concrete retaining wall surrounding the basement entrance to the cost office building at Fifth and H. Stteets, on the west side of the building, at the north end of the retaining wall, 6 inches from the west wall of the building and at about the middle of the west side." Mark is stamped "B,M,2 1921 43.422"

about 18m4

+14.072

43.986 Stabox SLD (GILEVELLING) ADT 68/ (73adj)
43.984 Ft. above SLD, Supplementary Adj. 91929
43.400 alone SLD, Supplementary Adj. 91929

43HEr above S.L. dotim - See bet, Arcata - Ukrah" 25 2/19/42 Above Remarks Chief of Party Reading BM#4 DayMonth Feet Year Established by 52.397 14.057 1921 Oct. E. H. Pagenhart 14.058 Recovered by 49.969 14.060 A. P. Ratti 1929 Oct. 23 Above stuff 0% 105 47. 686 ft. above MI H. C. Warwick 1945 Nov. New installation 61.126 37.019 R.A. Morris Aug 1977 13.93-137,501 37.538 88 30 NOS

WHM Form 490 April 10,1922.
DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

# DROPPED FROM PUBLISHED LIST TIDES: BENCH MARKS FOR PERIMANENT FILE

B. M. Lureka (Buhne's Dock), Humboldt Bay, California.

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately \_\_\_\_\_ feet above mean tide level.

The bench mark is

the top of a copper nail driven in concrete at the intersection of 3rd and E Streets. The nail is I foot below the street level and is protected by an iron cover which sets flush with the street level. This B.M. is one of several of the City of Eureka B.Ms., and is known as B.M.2 in the Eureka City Engineers' Office.

Nov. 20, 1945, H. C. Warwick--Recovered as described in good condition. After "copper nail" change "driven" to "set", before "Third and E Sts" insert "center line."

#### DROPPED FROM PUBLISHED LIST

Chief of Party		Date			Above BM#4	Remarks
Established by	Year 1921	Month Oct	Day -	Feet 19.86	- 18.48	}-18.512
Recovered by A. P. Ratti	1929	Oct	<b>2</b> 3	17.365	-18.544	
H. C. Warwick	1945	Nov.	201			15.100 ft. above MILL
DROPPED FR L. A. Morris R. A. Morris F. Mc Gough R. Edwing	1977 1978	Aug. Masch April	17	28.507 28.507 28.509	4.941 4.939 4.933 4.945	4.884
N65	88	8	30			4.927
		The state of the s				

### TIDES: BENCH MARKS FOR PERMANENT FILE

B. M. 5 at EUREKA, HUMBOLDT BAY, CALIFORNIA.

Original and Supplementary Descriptions

The elevation of this bench mark is approximately \_\_\_\_\_\_ feet above mean tide level. The bench mark is the top of a hydrant at the S. W. corner of "J" and 2nd Streets.

	Chief of Party		Date		Gauge Reading		Remarks	
R. R.	Established by	<i>Year</i> 1919	Month Oct.	<i>Day</i> <b>17</b>	Feet 38 • 66	Staff at	Kn <b>a</b> ght's	Wharf
	Recovered by							
		and the state of t						
		·						
÷			,					
							· .	
								· .
								11—52



#### B. M. 6 at EUREKA, HUMBOLDT BAY, CALIFORNIA.

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately \_\_\_\_\_\_ feet above mean tide level. The bench mark is the top of the hydrant at the S. W. corner of 2nd and "H" Streets.

	Chief of Party		Date		Gauge Reading	Remarks
	Established by R. R. Lukens	<i>Year</i> 1919	Month	Day	Feet 38.21	Staff at Knight's Wharf
	Recovered by					
				-		
,						11-5224

DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY, FORM 490 Rev. June 1985

#### TIDES: BENCH KS FOR PERMANENT FILE

B. M. 63 at Eureka, California.

#### Original and Supplementary Descriptions

The bench mark is a small copper bolt set in a concrete post 6 inches below the surface of the street at the intersection of the center lines of Fourth and Q Streets. Access to the bench mark is had through an iron cover about 8 inches in diameter.

Nov. 20, 1945, H. C. Warwick -- Recovered as described in good condition.


DROPPED FROM PUBLISHED LIST

Recovered as Described Dec. 1971

36.430 ft. above SLD (67 Levelling) a dy 68 (1304)
36.142 ft. above 5LD, Supplementary Adj. 91929
Elevation: 35.550t. above M. S. L., F-O Level net from list "Avcata-UKiah" Date: 416/34

Above Remarks AboveAbove Chief of Party Date zero of Tide Staff B.M. .... Month DavFeet Feet Established by Year City of Eureka Recovered by Division of Geodesy 1931 20 39.910 ft. above MLIM  $No\mathbf{v}_{\bullet}$ 1945 H. C. Warwick DROPPED FROM PUBLISHED LIST 29.792 30. NOS 88

FORM 490
DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY



B. M. USAS at Eureka , Humboldt Bay, Calif

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately \_\_\_\_\_ feet above mean tide level.

The bench mark is

an aluminum table t, stamped "B B 1906 20 44" set in a granite post on the west side of the steps to the north approach to the courthouse.

Nov. 20, 1945, H. C. Warwick--Recovered in good condition. Change description to read: "Set vertically in the north side of the western one of two ornamental concrete posts at the bottom of the steps to the north approach of Humboldt County Courthouse at Fourth and J Sts." Mark is stamped "B 19 1906 42.470"

SEPT. 1967 The Courthouse At Eureka has been Rebuilt. MARKDESTROYED

C. SYMNS.

above Bmy

+13.120

42,963 Ft. above 500/ 1977 Supplementary Agi. 91929

HTOH above SLidation Chief of Party	NE SERVE I	Date	- C	Gauge Reading	Above BM#4	Remarks	2/19/42
Established by	Year	Month	Day	Feet			·
U. S. Geological Su	rvey						
Recovered by							
A. P. Ratti	1929	Oct	23	49.019	13.110		
H. C. Warwick	1945	Nov.	5.0		-	46.739 ft.	above MILV
			ļ			The second secon	
				, .			
			1			1	
					1 .		

### DROPPED FROM PUBLISHED LIST

#### TIDES: BENCH MARKS FOR PERMANENT FILE

B. M. 68 at Eureka, California.

#### Original and Supplementary Descriptions

The bench mark is a small copper bolt set in a concrete post 6 inches below the surface of the street at the intersection of the center lines of Fourth Street and Broadway. Access to the bench mark is had through an iron cover about 8 inches in diameter.

Nov. 20, 1945, H. C. Warwick--Recovered as described in good condition. V DEC. 1971 Recovered By C. Symws As DescribeD

## DROPPED FROM PUBLISHED LIST

23,241

6.601 fd. above 5LD Supplementary Asj. 91929

Elevation: Extend tt. above M. S. L., F-O Level net, from list "Arcata-Ukrab", Date: 4/16/34

~6.542 ft ABOVE SLD (67 Levelling) 68 ADJ. (7304)

							į
Chief of Party		Date		Above zero of Tide Staff	Above B.M	Remarks	
Established by	Year	Month	Day	Feet	Feet		
City of Eureka							
Recovered by Div. of Geodesy	1931						
H. C. Warwick	1945	Nov.	201			10.320 ft. above MILW	1
<b>D</b> RO	PPED F	ROM F	UBLIS	ED LIST			
****							
						-	
						976 11—5224	

;}}e;	i losaine.	l Mar.	Å. No.	i kecetism	Disy,
	Table 2 Bay to the	<u> </u>	1	i svelibra il	
	) Coppin 15.37	1 14.925	124	inger i de la companya de la company	56.50
. <u>.</u> .				Langueros a H.	_ QE.31
	:	11.02.083	120	73.176 & O	38.67
, , , ,	\$\ \tag{\pi_1} \ \tag{\pi_2} \ \tag{\pi_3} \ \tag{\pi_4} \ \tag{\pi_5} \	1 100 32		and the state of t	26.89
	. Oakto t X.	. 20	1 2: 1 2/2		W 55
		1 50.005		Carrie A. E. Land	
	्र <u>कृष्</u> या ।				_57 <u>.60</u> 0
	in the second se	1.30.5%	\$ 克 克		58.90
		25.625	1.26		] ]1.54
-		50.60a	27	· · · · · · · · · · · · · · · · · · ·	ij.oe
	34 . 14 . 27	1 65.860	T 32		3.050
	25 95 97 			l Norde avellear sen.	
	** ** ** **			La Dest Ave.	
i		.)			÷
36	Acre sev			Valosh & Brusday	_13.500
<u> </u>		E) ev.	NG.		Elev.
		j ,	1.		,
35	Webash & Albee	] 35.360.	49	Cataon & N.	147.660
	Mebash & Albee	35.380. 1.35.380.		Catson & A	
		1.47.940 <u> </u>	) Ju	:	146.290
34	* * Callicatele	, 47.,950   75.950	50 51	Russ & S.	146.290 147.930
35 36 37	* CGJ CC *** 16 C	79.950 29.950 107.850 109.120		Russ & S.	147.930 147.285 153.050
35 35 36 37 38	" " Callicated B. " " B. " B. " B. Trinity & J. No.	74.950 107.850 109.120 * set	5 5 5 5 5	Russ & S.  " " P  " " M;  Harris & L.	147.930 147.285 153.050
35 35 36 37 38 39	Callicable  R C.  R E.  R B N.  Trinity & L. No.	74,990 107,850 109,120 set	50 5 6 5 5 5 5 5 5 5	Russ & S.  " " M.  Harris & L.	147.930 147.285 153.050 151.150
35 36 37 38 39 40	" " Callicative " " C. " " E. " " E. " " E.	74,990 74,950 107,850 109,120 * set 430,560 126,740	50 5 6 5 5 5 5 5 5 5	Russ & S.  " " M.  Harris & L.	147.930 147.285 153.050 151.150
35 36 37 38 39 40 41	PAC, PAC, PAC, PAC, PAC, PAC, PAC, PAC,	74,950 74,950 107,850 109,120 set 130,560 126,285	50 54 52 55 55 56	Russ & S.  " " P.  " " M.  Harris & L.  " " F.  " California	147.930 147.285 153.050 151.150 142.870 135.080 112.840
35 36 37 38 40 42 42	PAC, PAC, PAC, PAC, PAC, PAC, PAC, PAC,	74,950 74,950 107,850 109,120 set 130,560 126,285	50 54 52 55 55 56	Russ & S.  " " P.  " " M.  Harris & L.  " " F.  " California	147.930 147.285 153.050 151.150 142.870 135.080 112.840
35 36 37 38 40 42 42 43	" " Callionnia " " C. " " B. " " R. Trinity & L. No. " " E. " " C. " " Callfornia Hawthorn & Albes	74,950 107,850 107,850 109,120 * set 131,560 126,281 16,250 16,250	50 51 52 55 55 56 56 58	Russ & S.  " " P  " " M.  Harris & L.  " Celifordia  Hodgson & S.	147.930 147.285 153.050 153.150 135.080 135.080 112.840 151.132
35 36 37 38 40 42 42 43	" " Callfornia " " Callfornia " " Callfornia	74,950 107,850 107,850 109,120 * set 131,560 126,281 16,250 16,250	50 51 52 55 55 56 56 58	Russ & S.  " " P  " " M.  Harris & L.  " Celifordia  Boggson & S.  US Geological Educycy	135.080 112.840 151.132 157.216
35 36 37 38 39 40 41 42 43 44 45	" " Callionnia " " C. " " B. " " R. Trinity & L. No. " " E. " " C. " " Callfornia Hawthorn & Albes	74,950 74,950 107,850 109,120 * set 133,560 126,250 32,810 76,250 44,820 14,505	50 54 52 55 55 56 58 58	Russ & S.  " " P.  " " M.  Harris & L.  " " F.  " California	147-930 147-285 153.050 151.150 142.870 135.080 112.840 151.132 157-216
35 36 37 38 39 40 42 42 45	" " Callionia " " E. " " E. " " E. " " Callfornia " " Callfornia " " Callfornia " " Callfornia	74,950 74,950 107,850 109,120 * set 130,560 126,250 14,505 16,355	50 54 52 55 55 56 58 58	Russ & S.  " " P  " " M.  Harris & L.  " Celifordia  Boggson & S.  US Geological Educycy	147-930 147-285 153.050 151.150 142.870 135.080 112.840 151.132 157-216
35 36 37 38 39 40 42 42 45	" " C. " " E. " " Y. " " C. " " Callfornia. Hawthern & Albes " " Preadway. Breadway.	74,950 74,950 107,850 109,120 set 13,560 126,250 16,250 14,820 14,820 14,820 14,820 14,820 14,820 14,820	50 54 52 55 55 56 58 58	Russ & S.  " " P  " " M.  Harris & L.  " Celifordia  Boggson & S.  US Geological Educycy	147-930 147-285 153.050 151.150 142.870 135.080 112.840 151.132 157-216

alif. Oct. 193

#### DESTROYED

### TIDES: BENCH MARKS FOR PERMANENT FILE

B. M. H-3 at EUREKA, HUMBOLDT BAY, CALIFORNIA.

DESTRUCTION

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately feet above mean tide level. The bench mark is the floor of the northeast corner of the Pacific Coast Steamship Company's warehouse. Had in first (2000), 766 4555, 7676.

June 4, 1929. Not recovered. Bench Mark was destroyed when new floor was put in warehouse of Nelson Steamship Company (warehouse formerly was owned by Pacific Coast Steamship Co. A. P. Ratti

DESTROYEU

DESTROYEL

DEFERRITAL

Established by S.A.Engineers  Recovered by	Year (1006	Month	Day	Feet	
_	H L L D L J L	)(prior	to	11.59	above LLW of U.S.Engineers.
Netovered by	A STATE OF THE STA			8.21	" MSL: of ou. Si Geological  8.273 - of occion  p. 676, Bull llo. 766,  "Spirit Leveling in is
					Spirit Leveling in Co
				2	1929 Bench Mark destroyed
	A CAPACITY OF THE STATE OF THE				

# B. M. 4 TIDES: BENCH MARKS FOR PERMANENT FILE DESTINATION

#### Original and Supplementary Descriptions

The elevation of this bench mark is approximately feet above mean tide level. The bench mark is a U.S.Geological Survey standard metal plate bench mark set in the granite coping on the north side of the steps of the Eureka City Hall.

Its elevation is 34.3 feet above the datum of mean lower low water, as determined by the U.S.A. Engineers prior to April, 1906, when the San Francisco fire destroyed many of the records of the Engineers.

M 8 locate burner Burnelling 34 2 price Clar = 30.9 34/17

Nov. 20, 1945, H. C. Warwick--Recovered as described in good condition.

Mark is stamped "B 18 1906 29.350"

Sept. 1967 Thorough Scarch mare for this mark but it was not Recovered by C. Symn 5

DESTROYED

29.842 Ft. above 560, Supplementary Adj: 9 1929

29.350 ft, above S.L. dotum		ist A	rcate -		1/16/34 205.2/19/42
Chief of Party		Date	,	Gauge Reading	Remarks
Established by	Year	Month	Day	Feet	
U.S.Geological Survey				34.3	above LLW of U.S.Engineers
U.S.A.Engineersby	1911			34.3	gauge at foot of G street.
R. R. Mukens E. H. Pagenhardt A. P. Ratti	1919 1921 1929	Oct.	23 23	<b>36.62</b> 38.34 35.909	Gauge at Knight's Wharf " " Buhne's Dock
H. C. Warwick	1945	Nov.	200/		33.628 ft. above MLIN